



PRODUCT INTRODUCTION CATALOG



The Right Choice For High Quality Products

Brief History

Founded in 1995, Alyans Agri has grown from a pioneering startup into a leading exporter of agricultural machinery, drilling systems, fertilizers, and irrigation systems. Our journey began with a vision to enhance agricultural productivity and efficiency through innovative solutions. Over the years, we have expanded our product range and global reach, establishing a reputation for quality and reliability in the agriculture sector. Our commitment to excellence and customer satisfaction drives us to continually advance our technologies and services, supporting farmers and agricultural enterprises worldwide.



HANGING TYPE OF PULVERIZATOR FOR FIELD



SERIES | ALY SERIES

ALY 200 T
ALY 300 T
ALY 400 T
ALY 500 T

ALY 600 T
ALY 800 T
ALY 1000 T





200 LT HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	200 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	8 M
ARM HEIGHT ADJUSMENT	MANUEL
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	16 PCS
HORSE POWER	40 HP

300 LT HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	300 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	8 M
ARM HEIGHT ADJUSMENT	MANUEL
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	16 PCS
HORSE POWER	40 HP

400 LT HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	400 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	10 M
ARM HEIGHT ADJUSMENT	MANUEL
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	20 PCS
HORSE POWER	40 HP

**From yesterday to
tomorrow farmer
friendly**





500 LT HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	500 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	10 M
ARM HEIGHT ADJUSMENT	MANUEL
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	20 PCS
HORSE POWER	40 HP

600 LT HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	600 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	12 M
ARM HEIGHT ADJUSMENT	MANUEL
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	24 PCS
HORSE POWER	40 HP

800 LT HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	800 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	12 M
ARM HEIGHT ADJUSMENT	MANUEL
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	24 PCS
HORSE POWER	40 HP

1000 LT HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	1000 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	12 M
ARM HEIGHT ADJUSMENT	MANUEL
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	24 PCS
HORSE POWER	40 HP

HANGING TYPE OF PULVERIZATOR FOR FIELD



SERIES | ALY SERIES

ALY 600S ECO
ALY 800S ECO
ALY 1000S ECO





600S ECO HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	600 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	12 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	24 PCS
HORSE POWER	40 HP

800S ECO HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	800 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	12 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	24 PCS
HORSE POWER	40 HP

1000S ECO HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	1000 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	12 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	24 PCS
HORSE POWER	40 HP

From yesterday to
tomorrow farmer
friendly



HANGING TYPE OF PULVERIZATOR FOR FIELD



SERIES | ALY SERIES

ALY 600S
ALY 800S
ALY 1000S







600S HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	600 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

800S HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	800 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

1000S HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	1000 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

**From yesterday to
tomorrow farmer
friendly**



HANGING TYPE OF PULVERIZATOR FOR FIELD



SERIES | ALY SERIES

- ALYANS 800
- ALYANS 800X 0T0
- ALYANS 1000
- ALYANS 1000X 0T0
- ALYANS 800X 12
- ALYANS 1000X 12







ALYANS 800 HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	800 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSTMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

ALYANS 800X HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	800 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	HIDROLIK
WORKING WIDTH	15 M
ARM HEIGHT ADJUSTMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	30 PCS
HORSE POWER	50 HP

ALYANS 1000 HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	1000 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSTMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

From yesterday to
tomorrow farmer
friendly





ALYANS 1000X HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	1000 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	HYDRAULIC
WORKING WIDTH	18 M
ARM HEIGHT ADJUSTMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	36 PCS
HORSE POWER	50 HP

ALYANS 800X 12 HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	800 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	12 M
ARM HEIGHT ADJUSTMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	24 PCS
HORSE POWER	50 HP

ALYANS 1000X 12 HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	1000 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	12 M
ARM HEIGHT ADJUSTMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	24 PCS
HORSE POWER	50 HP

From yesterday to
tomorrow farmer
friendly



HANGING TYPE OF PULVERIZATOR FOR FIELD



SERIES | ANKA SERIES

ANKA 800
ANKA 800X OT0
ANKA 1000
ANKA 1000X OT0







ANKA 800 HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	800 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

ANKA 800 AUTO HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	800 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	HYDRAULIC
WORKING WIDTH	15 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	30 PCS
HORSE POWER	50 HP

ANKA 1000 HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	1000 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

ANKA 1000 AUTO HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	1000 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	HYDRAULIC
WORKING WIDTH	18 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	36 PCS
HORSE POWER	50 HP

HANGING TYPE OF PULVERIZATOR FOR FIELD



SERIES | ANKAXL SERIES

- ANKAXL 800
- ANKAXL 1000
- ANKAXL 1000 OT0
- ANKAXL 1000 X OT0







ANKA XL 800 HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	800 LT
BACKUP TANK VOLUME	200 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

ANKA XL 1000 HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	1000 LT
BACKUP TANK VOLUME	200 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

ANKA XL 1000 AUTO HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	1000 LT
BACKUP TANK VOLUME	200 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	HYDRAULIC
WORKING WIDTH	18 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	36 PCS
HORSE POWER	50 HP

ANKA XL 1000X AUTO HANGING TYPE OF PULVERIZATOR FOR FIELD

TANK VOLUME	1000 LT
BACKUP TANK VOLUME	200 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

PULLING TYPE OF PULVERIZATOR FOR FIELD



SERIES | ALY PULL SERIES

ALY-1.000ÇT
ALY-1.200ÇT
ALY-2.000ÇT







ALY-1.000ÇT PULLING TYPE OF PULVERIZATOR FOR FIELD

TYRE SIZE	1000 LT
BACKUPTANK VOLUME	700X16
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	10 M
ARM HEIGHT ADJUSMENT	MANUEL
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	20 PCS
HORSE POWER	50 HP

ALY-1.200ÇT PULLING TYPE OF PULVERIZATOR FOR FIELD

TYRE SIZE	1200 LT
BACKUPTANK VOLUME	700X16
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	10 M
ARM HEIGHT ADJUSMENT	MANUEL
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	20 PCS
HORSE POWER	50 HP

ALY-2.000ÇT PULLING TYPE OF PULVERIZATOR FOR FIELD

TYRE SIZE	1200 LT
BACKUPTANK VOLUME	700X16
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	10 M
ARM HEIGHT ADJUSMENT	MANUEL
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	20 PCS
HORSE POWER	50 HP

From yesterday to
tomorrow farmer
friendly



PULLING TYPE OF PULVERIZATOR FOR FIELD



SERIES | ANKA PULL

ANKA-1000Ç

ANKA-2.000

ANKA-2.000Y

ANKA-2.000Y AUTO

ANKA-2.000Y XAUTO

ANKA-3.000

ANKA-3.000 AUTO

ANKA-3.000X AUTO

ANKA-3.000 STAINLESS

ANKA-4.000 AUTO





ANKA-1.000Ç PULLING TYPE OF PULVERIZATOR FOR FIELD

TYRE SIZE	1000 LT
BACKUP TANK VOLUME	10X80X12
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE HEAD
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

ANKA-2000 PULLING TYPE OF PULVERIZATOR FOR FIELD(HYDRAULIC)

TYRE SIZE	2000 LT
BACKUP TANK VOLUME	10X80X12
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE HEAD
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

ANKA-2000Y PULLING TYPE OF PULVERIZATOR FOR FIELD(HYDRAULIC)

TYRE SIZE	2000 LT
BACKUP TANK VOLUME	210X95X32
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE HEAD
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

From yesterday to
tomorrow farmer
friendly



ANKA-2000Y AUTO PULLING TYPE OF PULVERIZATOR FOR FIELD(HYDRAULIC)

TYRE SIZE	2000 LT
BACKUP TANK VOLUME	210X95X32
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	HIDROLIK
WORKING WIDTH	15 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	30 PCS
HORSE POWER	50 HP

ANKA-3000 PULLING TYPE OF PULVERIZATOR FOR FIELD(HYDRAULIC)

TYRE SIZE	3000 LT
BACKUP TANK VOLUME	210X95X32
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

ANKA-3000X AUTO PULLING TYPE OF PULVERIZATOR FOR FIELD(HYDRAULIC)

TYRE SIZE	3000 LT
BACKUP TANK VOLUME	210X95X32
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	HIDROLIK
WORKING WIDTH	18 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	36 PCS
HORSE POWER	50 HP

From yesterday to
tomorrow farmer
friendly



ANKA-3000X AUTO PULLING TYPE OF PULVERIZATOR FOR FIELD(HYDRAULIC)

TYRE SIZE	3000 LT
BACKUP TANK VOLUME	210X95X32
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	HYDRAULIC
WORKING WIDTH	18 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	36 PCS
HORSE POWER	50 HP

ANKA-3000 STAINLESS PULLING TYPE OF PULVERIZATOR FOR FIELD (HYDRAULIC)

TYRE SIZE	3000 LT
BACKUP TANK VOLUME	230x80x12
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	16 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	33 PCS
HORSE POWER	50 HP

ANKA-4000X AUTO PULLING TYPE OF PULVERIZATOR FOR FIELD(HYDRAULIC)

TYRE SIZE	1200 LT
BACKUP TANK VOLUME	230x80x12
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR90 FIVE OUTLETS
TRACTOR SPEED	540 DVR/RPM
ARM FOLDING	MANUEL
WORKING WIDTH	18 M
ARM HEIGHT ADJUSMENT	HYDRAULIC
DISTANCE BETWEEN NOZZLES	50 CM
NOZZLE NUMBER	36 PCS
HORSE POWER	50 HP

From yesterday to
tomorrow farmer
friendly



PULVERIZATOR WITH WHEELBARROW FOR GARDEN



SERIES | ALY WHEELBARROW

ALY-100BE
ALY-200BE
ALY-400BE





ALY-100BE PULVERIZATOR WITH WHELLBARROW FOR GARDEN

TYRE SIZE	100 LT
PUMP	ALY-30
PUMP FLOW RATE	30-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 30 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	1
HOSE	25 M
SPRAYER GUN	1
ENGINE	GASOLINE
ENGINE POWER	5.5 HP

ALY-100BE PULVERIZATOR WITH WHELLBARROW FOR GARDEN

TYRE SIZE	100 LT
PUMP	PISTON
PUMP FLOW RATE	30-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 30 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	1
HOSE	25 M
SPRAYER GUN	1
ENGINE	ELECTRIC
ENGINE POWER	6.5 HP

ALY-200BE PULVERIZATOR WITH WHELLBARROW FOR GARDEN

TYRE SIZE	200 LT
PUMP	ALY-30
PUMP FLOW RATE	30-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 30 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	1
HOSE	25 M
SPRAYER GUN	1
ENGINE	GASOLINE
ENGINE POWER	5.5 HP

From yesterday to
tomorrow farmer
friendly



ALY-200BE PULVERIZATOR WITH WHELLBARROW FOR GARDEN

TYRE SIZE	200 LT
PUMP	PISTONLU
PUMP FLOW RATE	30-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 30 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	1
HOSE	25 M
SPRAYER GUN	1
ENGINE	ELECTRIC
ENGINE POWER	6.5 HP

ALY-400BE PULVERIZATOR WITH WHELLBARROW FOR GARDEN

TYRE SIZE	400 LT
PUMP	ALY-30
PUMP FLOW RATE	30-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 30 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	1
HOSE	25 M
SPRAYER GUN	1
ENGINE	GASOLINE
ENGINE POWER	5.5 HP

From yesterday to
tomorrow farmer
friendly



HANGING TYPE OF PULVERIZATOR FOR GARDEN



SERIES | ALY GARDEN SERIES

- ALY - 200B
- ALY - 300B
- ALY - 400B
- ALY - 500B
- ALY - 600B
- ALY - 800B
- ALY - 1000B







ALY-200BE HANGING TYPE OF PULVERIZATOR FOR GARDEN

TANK VOLUME	200 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	1
HOSE	25 M
SPRAYER GUN	1
HORSE POWER	40 HP

ALY-300BE HANGING TYPE OF PULVERIZATOR FOR GARDEN

TANK VOLUME	300 LT
PUMP	HAS-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	1
HOSE	25 M
SPRAYER GUN	1
HORSE POWER	40 HP

ALY-400BE HANGING TYPE OF PULVERIZATOR FOR GARDEN

TANK VOLUME	400 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	1
HOSE	25 M
SPRAYER GUN	1
HORSE POWER	40 HP

From yesterday to
tomorrow farmer
friendly





ALY-500BE HANGING TYPE OF PULVERIZATOR FOR GARDEN

TANK VOLUME	500 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	1
HOSE	25 M
SPRAYER GUN	1
HORSE POWER	40 HP

ALY-600BE HANGING TYPE OF PULVERIZATOR FOR GARDEN

TANK VOLUME	600 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	1
HOSE	25 M
SPRAYER GUN	1
HORSE POWER	40 HP

ALY-800BE HANGING TYPE OF PULVERIZATOR FOR GARDEN

TANK VOLUME	800 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	1
HOSE	25 M
SPRAYER GUN	1
HORSE POWER	40 HP

ALY-1000BE HANGING TYPE OF PULVERIZATOR FOR GARDEN

TANK VOLUME	1000 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	1
HOSE	25 M
SPRAYER GUN	1
HORSE POWER	40 HP

PULLING TYPE OF PULVERIZATOR FOR GARDEN



SERIES | ALY PULL GARDEN SERIES

ALY-400ÇB
ALY-600ÇB
ALY-800ÇB
ALY-1000ÇB
ALY-1200ÇB
ALY-2000ÇB





ALY-400ÇB PULLING TYPE OF PULVERIZATOR FOR GARDEN

TANK VOLUME	400 LT
TYRE SIZE	6.50X80X12
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	2
HOSE	2X25 M
SPRAYER GUN	2
HORSE POWER	50 HP

ALY-600ÇB PULLING TYPE OF PULVERIZATOR FOR GARDEN

TANK VOLUME	600 LT
TYRE SIZE	6.50X80X12
PUMP	HAS-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	2
HOSE	2X25 M
SPRAYER GUN	2
HORSE POWER	50 HP

ALY-800ÇB PULLING TYPE OF PULVERIZATOR FOR GARDEN

TANK VOLUME	800 LT
TYRE SIZE	6.50X80X12
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	KU - 81 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	2
HOSE	2X25 M
SPRAYER GUN	2
HORSE POWER	50 HP

From yesterday to
tomorrow farmer
friendly



ALY-1000ÇB PULLING TYPE OF PULVERIZATOR FOR GARDEN

TANK VOLUME	1000 LT
TYRE SIZE	700X16
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	2
HOSE	2X50M
SPRAYER GUN	2
HORSE POWER	50 HP

ALY-1200ÇB PULLING TYPE OF PULVERIZATOR FOR GARDEN

TANK VOLUME	1200 LT
TYRE SIZE	10X80X12
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	2
HOSE	2X25 M
SPRAYER GUN	2
HORSE POWER	50 HP

ALY-2000ÇB PULLING TYPE OF PULVERIZATOR FOR GARDEN

TANK VOLUME	2000 LT
TYRE SIZE	10X80X12
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
HOSE ROLL	2
HOSE	2X50M
SPRAYER GUN	2
HORSE POWER	50 HP

From yesterday to
tomorrow farmer
friendly



HANGING TYPE OF AUTOMIZER WITH FUNNELED ROBOT



SERIES

ALYANS HANGING TYPE GARDEN ATOMIZER SERIES

ALYANS 600RA
ALYANS 800RA
ALYANS 1000RA





ALYANS 600RA HANGING TYPE OF AUTOMIZER WITH FUNNELED ROBOT

TANK VOLUME	600 LT
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	25
WORKING WIDTH	20-24 M
FAN HEIGHT ADJUSMENT	HYDRAULIC
NOZZLE NUMBER	8 PCS
HORSE POWER	60 HP
RETURN ANGLE	180°

ALYANS 800RA- HANGING TYPE OF AUTOMIZER WITH FUNNELED ROBOT

TANK VOLUME	800 LT
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	25
WORKING WIDTH	20-24 M
FAN HEIGHT ADJUSMENT	HYDRAULIC
NOZZLE NUMBER	8 PCS
HORSE POWER	60 HP
RETURN ANGLE	180°

ALYANS 1000RA- HANGING TYPE OF AUTOMIZER WITH FUNNELED ROBOT

TANK VOLUME	1000 LT
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	25
WORKING WIDTH	20-24 M
FAN HEIGHT ADJUSMENT	HYDRAULIC
NOZZLE NUMBER	8 PCS
HORSE POWER	60 HP
RETURN ANGLE	180°

From yesterday to
tomorrow farmer
friendly



PULLING TYPE OF AUTOMIZER WITH FUNNELED ROBOT



SERIES |

ALYANS PULL TYPE GARDEN ATOMIZER SERIES

ALYANS 2000BÇ
ALYANS 2000RÇ





ALYANS 2000BÇ PULLING TYPE OF AUTOMIZER WITH FUNNELED ROBOT

TANK VOLUME	2000 LT
TYRE SIZE	10X80X12
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	25
WORKING WIDTH	20-24 M
FAN HEIGHT ADJUSMENT	HYDRAULIC
NOZZLE NUMBER	8 PCS
HORSE POWER	60 HP
RETURN ANGLE	90 °

ALYANS 2000RÇ PULLING TYPE OF AUTOMIZER WITH FUNNELED ROBOT

TANK VOLUME	2000 LT
TYRE SIZE	10X80X12
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	25
WORKING WIDTH	20-24 M
FAN HEIGHT ADJUSMENT	HYDRAULIC
NOZZLE NUMBER	8 PCS
HORSE POWER	60 HP
RETURN ANGLE	180°

From yesterday to
tomorrow farmer
friendly



HANGING TYPE OF TURBO AUTOMIZER



SERIES

ALY HANGING TYPE TURBO ATOMIZER SERIES

ALY 200TA
ALY 300TA
ALY 400TA
ALY 500TA
ALY 600TA
ALY 800TA







ALY 200TA HANGING TYPE OF TURBO AUTOMIZER

TANK VOLUME	200 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	60
WORKING WIDTH	12-14 M
NOZZLE NUMBER	8 PCS
HORSE POWER	40 HP

ALY 300TA HANGING TYPE OF TURBO AUTOMIZER

TANK VOLUME	300 LT
PUMP	ALY-71
PUMP FLOW RATE	71-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	60
WORKING WIDTH	12-14 M
NOZZLE NUMBER	8 PCS
HORSE POWER	40 HP

ALY 400TA TRIPLE HANGING TYPE OF AUTOMIZER

TANK VOLUME	400 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	75
WORKING WIDTH	12-14 M
BOOM WIDTH	8 M
NOZZLE NUMBER	10 PCS
BOOM NOZZLE NUMBER	16 PCS
HORSE POWER	40 HP

ALY 400TA HANGING TYPE OF TURBO AUTOMIZER

TANK VOLUME	400 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	75
WORKING WIDTH	12-14 M
NOZZLE NUMBER	10 PCS
HORSE POWER	40 HP



ALY 500TA TRIPLE HANGING TYPE OF AUTOMIZER

TANK VOLUME	500 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	75
WORKING WIDTH	12-14 M
BOOM WIDTH	8 M
NOZZLE NUMBER	10 PCS
BOOM NOZZLE NUMBER	16 PCS
HORSE POWER	40 HP

ALY 500TA HANGING TYPE OF TURBO AUTOMIZER

TANK VOLUME	500 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	75
WORKING WIDTH	12-14 M
NOZZLE NUMBER	10 PCS
HORSE POWER	40 HP

ALY 600TA TRIPLE HANGING TYPE OF AUTOMIZER

TANK VOLUME	500 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	75
WORKING WIDTH	12-14 M
BOOM WIDTH	10 M
NOZZLE NUMBER	10 PCS
BOOM NOZZLE NUMBER	20 PCS
HORSE POWER	40 HP

ALY 600TA HANGING TYPE OF TURBO AUTOMIZER

TANK VOLUME	500 LT
PUMP	ALY-105
PUMP FLOW RATE	105-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	VDR50 THREE OUTLETS
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	75
WORKING WIDTH	12-14 M
NOZZLE NUMBER	10 PCS
HORSE POWER	40 HP

PULLING TYPE OF TURBO ATOMIZER



SERIES | ALYANS PULL TYPE TURBO ATOMIZER SERIES

ALYANS 1000TA
ALYANS 2000TA
ALYANS 2000TA TOWER





ALYANS 1000TA PULLING TYPE OF TURBO AUTOMIZER

TANK VOLUME	1000 LT
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	BYMATIC
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	90
WORKING WIDTH	12-16 M
NOZZLE NUMBER	14 PCS
HORSE POWER	50 HP

ALYANS 1200TA PULLING TYPE OF TURBO AUTOMIZER

TANK VOLUME	1200 LT
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	BYMATIC
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	90
WORKING WIDTH	12-16 M
NOZZLE NUMBER	18 PCS
HORSE POWER	50 HP

ALYANS 1600TA PULLING TYPE OF TURBO AUTOMIZER

TANK VOLUME	1600 LT
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	BYMATIC
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	90
WORKING WIDTH	12-16 M
NOZZLE NUMBER	14 PCS
HORSE POWER	50 HP

From yesterday to
tomorrow farmer
friendly



ALYANS 2000TA PULLING TYPE OF TURBO AUTOMIZER

TANK VOLUME	2000 LT
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	BYMATIC
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	90
WORKING WIDTH	12-16 M
NOZZLE NUMBER	14 PCS
HORSE POWER	50 HP

ALYANS 2000TA PULLING TYPE OF TURBO AUTOMIZER

TANK VOLUME	2000 LT
PUMP	ALY-145
PUMP FLOW RATE	145-DK/MIN
PUMP PRESSURE	50 BAR
REGULATOR	BYMATIC
TRACTOR SPEED	540 DVR/RPM
FAN DIAMETER	90
WORKING WIDTH	12-16 M
NOZZLE NUMBER	18 PCS
HORSE POWER	50 HP

From yesterday to
tomorrow farmer
friendly



HANGING TYPE OF FERTILIZER SPREADERS



SERIES

HANGING TYPE FERTILIZER SPRADERS SINGLE DISC

- 350 LT
- 400 LT
- 500 LT
- 600 LT
- 800 LT
- 1000 LT







350 LT HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN 350
WIDTH (MM)	1030
LENGHT (MM)	1140
HEIGHT (MM)	1108
CAPACITY (LT)	400
WEIGHT (KG)	130
WORKING WIDTH (M)	16-20
OPEN-CLOSE ADJUSTMENT	Hydraulic Mechanic
STRANLESS STEEL WING	OPTIONAL
STAINLESS STEEL DISC	OPTIONAL

400 LT HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN 400
WIDTH (MM)	1030
LENGHT (MM)	1140
HEIGHT (MM)	1108
CAPACITY (LT)	400
WEIGHT (KG)	130
WORKING WIDTH (M)	16-20
OPEN-CLOSE ADJUSTMENT	Hydraulic Mechanic
STRANLESS STEEL WING	OPTIONAL
STAINLESS STEEL DISC	OPTIONAL

500 LT HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN 500
WIDTH (MM)	1060
LENGHT (MM)	1400
HEIGHT (MM)	1208
CAPACITY (LT)	500
WEIGHT (KG)	150
WORKING WIDTH (M)	16-20
OPEN-CLOSE ADJUSTMENT	Hydraulic Mechanic
STRANLESS STEEL WING	OPTIONAL
STAINLESS STEEL DISC	OPTIONAL

600 LT HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN 600
WIDTH (MM)	1120
LENGHT (MM)	1480
HEIGHT (MM)	1198
CAPACITY (LT)	600
WEIGHT (KG)	150
WORKING WIDTH (M)	16-20
OPEN-CLOSE ADJUSTMENT	Hidrolik Mekanik
STRANLESS STEEL WING	OPTIONAL
STAINLESS STEEL DISC	OPTIONAL

800 LT HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN 800
WIDTH (MM)	1110
LENGHT (MM)	1650
HEIGHT (MM)	1290
CAPACITY (LT)	800
WEIGHT (KG)	180
WORKING WIDTH (M)	16-20
OPEN-CLOSE ADJUSTMENT	Hydraulic Mechanic
STRANLESS STEEL WING	OPTIONAL
STAINLESS STEEL DISC	OPTIONAL

1000 LT HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN 1000
WIDTH (MM)	1100
LENGHT (MM)	1650
HEIGHT (MM)	1460
CAPACITY (LT)	1000
WEIGHT (KG)	190
WORKING WIDTH (M)	16-20
OPEN-CLOSE ADJUSTMENT	Hydraulic Mechanic
STRANLESS STEEL WING	OPTIONAL
STAINLESS STEEL DISC	OPTIONAL

From yesterday to
tomorrow farmer
friendly



HANGING TYPE OF FERTILIZER SPREADERS




SERIES

HANGING TYPE OFFERTILIZER SPREADERS
WITH DOUBLE DISC

600 LT
800 LT
1000 LT
1200 LY
1500 LT
AXN P 1000
AXN PR 1000
AXN P 1200

AXN RP 1200
AXN P 1500
AXN PR 1500
AXN T 2500
AXN TW 3000
AXN T 3000
AXN TW 3500
AXN TW 4000







AXN 600 DOUBLE DISC 50 CM HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN 600 DOUBLE DISC 50 CM
WIDTH (MM)	1150
LENGHT (MM)	1700
HEIGHT (MM)	1118
CAPACITY (LT)	600
WEIGHT (KG)	220
WORKING WIDTH (M)	18-20
OPEN-CLOSE ADJUSTMENT	Hydraulic Mechanic
TRANSMISSION DISTANCE (CM)	50
STAINLESS STEEL DISC	OPTIONAL

AXN 800 DOUBLE DISC 50 CM HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN 800 DOUBLE DISC 50 CM
WIDTH (MM)	1150
LENGHT (MM)	1700
HEIGHT (MM)	1260
CAPACITY (LT)	800
WEIGHT (KG)	225
WORKING WIDTH (M)	18-24
OPEN-CLOSE ADJUSTMENT	Hydraulic Mechanic
TRANSMISSION DISTANCE (CM)	50
STAINLESS STEEL DISC	OPTIONAL

AXN 1000 DOUBLE DISC 50 CM HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN 1000 DOUBLE DISC 50 CM
WIDTH (MM)	1150
LENGHT (MM)	1800
HEIGHT (MM)	1260
CAPACITY (LT)	1000
WEIGHT (KG)	230
WORKING WIDTH (M)	18-24
OPEN-CLOSE ADJUSTMENT	Hydraulic Mechanic
TRANSMISSION DISTANCE (CM)	50
STAINLESS STEEL DISC	OPTIONAL

AXN 1200 DOUBLE DISC 50 CM HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN 1200 DOUBLE DISC 50 CM
WIDTH (MM)	1150
LENGHT (MM)	1800
HEIGHT (MM)	1220
CAPACITY (LT)	1200
WEIGHT (KG)	235
WORKING WIDTH (M)	18-24
OPEN-CLOSE ADJUSTMENT	Hydraulic Mechanic
TRANSMISSION DISTANCE (CM)	50
STAINLESS STEEL DISC	OPTIONAL



AXN 1500 DOUBLE DISC 50 CM HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN 1500 DOUBLE DISC 50 CM
WIDTH (MM)	1150
LENGHT (MM)	1800
HEIGHT (MM)	1225
CAPACITY (LT)	1500
WEIGHT (KG)	240
WORKING WIDTH (M)	18-24
OPEN-CLOSE ADJUSTMENT	Hydraulic Mechanic
TRANSMISSION DISTANCE (CM)	50
STAINLESS STEEL DISC	OPTIONAL

AXN P-1000 DOUBLE DISC 65 CM HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN P-1000
WIDTH (MM)	1200
LENGHT (MM)	2000
HEIGHT (MM)	1200
CAPACITY (LT)	1000
WEIGHT (KG)	360
WORKING WIDTH (M)	24-30
OPEN-CLOSE ADJUSTMENT	Automatic Control
TRANSMISSION DISTANCE (CM)	65
STAINLESS STEEL DISC	OPTIONAL

AXN PR-1000 DOUBLE DISC 100 CM HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN PR-1000
WIDTH (MM)	1300
LENGHT (MM)	2200
HEIGHT (MM)	1220
CAPACITY (LT)	1000
WEIGHT (KG)	360
WORKING WIDTH (M)	24-36
OPEN-CLOSE ADJUSTMENT	Hydraulic Mechanic
TRANSMISSION DISTANCE (CM)	100
STAINLESS STEEL DISC	OPTIONAL

AXN PR-1000 DOUBLE DISC 65 CM HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN P-1200
WIDTH (MM)	1200
LENGHT (MM)	2000
HEIGHT (MM)	1340
CAPACITY (LT)	1200
WEIGHT (KG)	280
WORKING WIDTH (M)	24-30
OPEN-CLOSE ADJUSTMENT	Automatic Control
TRANSMISSION DISTANCE (CM)	65
STAINLESS STEEL DISC	OPTIONAL



AXN PR-1200 DOUBLE DISC 100 CM HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN PR-1200
WIDTH (MM)	1300
LENGHT (MM)	2200
HEIGHT (MM)	1360
CAPACITY (LT)	1000
WEIGHT (KG)	390
WORKING WIDTH (M)	24-36
OPEN-CLOSE ADJUSTMENT	Hydraulic Mechanic
TRANSMISSION DISTANCE (CM)	100
STAINLESS STEEL DISC	OPTIONAL

AXN P-1500 DOUBLE DISC 65 CM HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN P-1500
WIDTH (MM)	1200
LENGHT (MM)	2000
HEIGHT (MM)	1480
CAPACITY (LT)	1500
WEIGHT (KG)	400
WORKING WIDTH (M)	24-30
OPEN-CLOSE ADJUSTMENT	Hydraulic Mechanic
TRANSMISSION DISTANCE (CM)	65
STAINLESS STEEL DISC	OPTIONAL

AXN PR-1500 DOUBLE DISC 100 CM HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN PR-1500
WIDTH (MM)	1300
LENGHT (MM)	2200
HEIGHT (MM)	1500
CAPACITY (LT)	1500
WEIGHT (KG)	410
WORKING WIDTH (M)	24-36
OPEN-CLOSE ADJUSTMENT	Hydraulic Mechanic
TRANSMISSION DISTANCE (CM)	100
STAINLESS STEEL DISC	OPTIONAL

AXN PR-2500 DOUBLE DISC WITH TWO WHEELS HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN T-2500
WIDTH (MM)	1300
LENGHT (MM)	2200
HEIGHT (MM)	2330
CAPACITY (LT)	2500
WEIGHT (KG)	780
WORKING WIDTH (M)	24-36
OPEN-CLOSE ADJUSTMENT	Automatic Control
TRANSMISSION DISTANCE (CM)	100
STAINLESS STEEL DISC	OPTIONAL



AXN T-3000 DOUBLE DISC FOUR WHEELS HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN TW-300
WIDTH (MM)	1300
LENGHT (MM)	2200
HEIGHT (MM)	2330
CAPACITY (LT)	3000
WEIGHT (KG)	820
WORKING WIDTH (M)	24-36
OPEN-CLOSE ADJUSTMENT	Automatic Control
TRANSMISSION DISTANCE (CM)	100
STAINLESS STEEL DISC	OPTIONAL

AXN T-3000 DOUBLE DISC TWO WHEELS HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN T-3000
WIDTH (MM)	1300
LENGHT (MM)	2200
HEIGHT (MM)	2380
CAPACITY (LT)	300
WEIGHT (KG)	795
WORKING WIDTH (M)	24-36
OPEN-CLOSE ADJUSTMENT	Automatic Control
TRANSMISSION DISTANCE (CM)	100
STAINLESS STEEL DISC	OPTIONAL

AXN TW-3500 DOUBLE DISC FOUR WHEELS HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN T-3500
WIDTH (MM)	1300
LENGHT (MM)	2200
HEIGHT (MM)	2430
CAPACITY (LT)	3500
WEIGHT (KG)	840
WORKING WIDTH (M)	24-36
OPEN-CLOSE ADJUSTMENT	Automatic Control
TRANSMISSION DISTANCE (CM)	100
STAINLESS STEEL DISC	OPTIONAL

AXN TW-4000 DOUBLE DISC FOUR WHEELS HANGING TYPE OF FERTILIZER SPREADERS

MODEL	AXN TW-4000
WIDTH (MM)	1300
LENGHT (MM)	2200
HEIGHT (MM)	2430
CAPACITY (LT)	4000
WEIGHT (KG)	840
WORKING WIDTH (M)	24-36
OPEN-CLOSE ADJUSTMENT	Automatic Control
TRANSMISSION DISTANCE (CM)	100
STAINLESS STEEL DISC	OPTIONAL



 Enntepe Mall Office, Ankara Cd. No:70, 42050 Karatay/Konya

 +90 332 503 55 32

 info@alyansagri.com



alyansagri.com

